

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

threat detection and hash

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 586,000 for **threat detection and hash**. (0.11 seconds)

[\[PDF\] Deploy real-time operational **detection** and prevention to combat ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **threat detection** and fraud. prevention solutions described in ... standard one-way **hash** to two sets. of isolated data so that they can be ...

<ftp://ftp.software.ibm.com/software/tivoli/solutionsheets/GMS10360-USEN-00.pdf> -

[Similar pages](#)

[Take the Sophos **Threat Detection** Test: Is your current anti-virus ...](#)

Use the Sophos **Threat Detection** Test to quickly perform a scan and find any ... Third, discusses how to use brute-force tools to crack an encrypted **hash**. ...

whitepapers.silicon.com/0,39024759,60295278p,00.htm - 58k - [Cached](#) - [Similar pages](#)

[\[PDF\] Microsoft PowerPoint - WORM05.Scalable](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Two examples of scalable **threat detection**. approaches (complementary) Sample **hash** if last 'N' bits of the **hash** are equal to the. value 'V' ...

www1.cs.columbia.edu/~angelos/worm05/stefan.pdf - [Similar pages](#)

[System and method for **threat detection** and response - Patent ...](#)

A network **threat detection** and response system for analyzing a network packet and retain pointers to the previous entry in the **hash** (prev, next), ...

www.freepatentsonline.com/20050018618.html - 121k - [Cached](#) - [Similar pages](#)

[Intrusion **threat detection** - Patent 20020112185](#)

Intrusion **threat detection**. Document Type and Number: User profile cache 576 is a **hash** table of user identity profile attributes that can be used for ...

www.freepatentsonline.com/20020112185.html - 198k - [Cached](#) - [Similar pages](#)

[Adware-ESDAds](#)

Each description displays the minimum, fully tested, DAT version that includes regular **detection** for a particular **threat**. These fully tested DATs are ...

vil.nai.com/vil/content/v_123108.htm - 28k - [Cached](#) - [Similar pages](#)

[ATPS - Adaptive **Threat** Prevention System for High-Performance ...](#)

detection mechanism about Denial of Service(DoS) attacks and Port Scan attacks. 3 ATPS - Adaptive **Threat** Prevention System ...

www.springerlink.com/index/n4388767w1q00182.pdf - [Similar pages](#)

[\[PDF\] Operator Assisted **Threat** Assessment for Carry-On Luggage Inspection](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **hashing** algorithm was able. to single out the **threat**, however. 4. Color Coding for Better **Threat Detection**. Two approaches were employed for the testing ...

www.imaging.utk.edu/publications/papers/2001/140_X-rayFAAsympos12-01.pdf -

[Similar pages](#)

[hash table Definition](#)

Since different keys may **hash** to the same bucket, the goal of **hash** table ... Superior **threat detection**, with a new database provided by safety experts Bit9. ...

www.pcmag.com/encyclopedia_term/0,2542,t=hash+table&i=44129,00.asp - 62k -
[Cached](#) - [Similar pages](#)

hash total Definition

At various stages in the processing, the **hash total** is recalculated and ... Superior **threat detection**, with a new database provided by safety experts Bit9 ...

www.pcmag.com/encyclopedia_term/0,2542,t=hash+total&i=44130,00.asp - 61k -

[Cached](#) - [Similar pages](#)

[[More results from www.pcmag.com](#)]

1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

WebResults 1 - 10 of about 1,320,000 for **fingerprint and hash**. (0.06 seconds)**Hash function - Wikipedia, the free encyclopedia**

A **hash** function [1] is a reproducible method of turning some kind of data into a (relatively) small number that may serve as a digital "**fingerprint**" of the ...

en.wikipedia.org/wiki/Hash_function - 44k - [Cached](#) - [Similar pages](#)

Cryptographic hash function - Wikipedia, the free encyclopedia

The message digest is a sort of "digital **fingerprint**" of the larger document. Cryptographic **hash** functions are used to do message integrity checks and ...

en.wikipedia.org/wiki/Cryptographic_hash_function - 58k - [Cached](#) - [Similar pages](#)

About Microsoft Research: 2007 Tech Fair

Our method calculates and aggregates various key-determined metrics over **fingerprint** images, producing short **hash** strings that cannot be used to reconstruct ...

research.microsoft.com/aboutmsr/techfair/default.aspx - 30k - [Cached](#) - [Similar pages](#)

crime 2005/05: CRIME Steganography Application Fingerprint Data

CRIME Steganography Application **Fingerprint** Database **Hash** Set Updates - Available Now! From: Chad W. Davis (chad.davis@private) ...

lists.jammed.com/crime/2005/05/0011.html - 4k - [Cached](#) - [Similar pages](#)

Forum - Homepage

```
snprintf(fingerprint, fingerprint_len + 1, '%*s', fingerprint_len, hash); ... print('fingerprint (default to MD5) ' + hash + '\t' + str(i) + 'chars' ) ...
```

www.keyphrene.com/forum/index.php?lng=en&cmd=2&tid=26 - 22k -

[Cached](#) - [Similar pages](#)

Schneier on Security: Fingerprint Library Cards

Same thing with this **fingerprint hash**: if the **hashing** algorithm is standard or

"Reconstructing" a **fingerprint** from a **hash** is a matter of semantics, ...

www.schneier.com/blog/archives/2005/05/fingerprint_lib.html - 76k -

[Cached](#) - [Similar pages](#)

Document IDs for BREW - FAQs - Document ID from VeriSign, Inc.

VeriSign Authentic Document IDs are used to create and send a signed **fingerprint (hash)** of the original document to VeriSign's Authentic Document Service ...

www.verisign.com/products-services/security-services/code-signing/brew-document-ids/faq.html - 76k - [Cached](#) - [Similar pages](#)

VeriSign Inc. - www.verisign.com

Often described as a digital **fingerprint**, a **hash** is simply a "summary" ... It includes a **fingerprint (hash)** of the document file along with the date and ...

www.verisign.com/products/notarize/faq.html - 34k - [Cached](#) - [Similar pages](#)

Fixing a hole in security | Tech News on ZDNet

(A collision is when two different files result in the same **fingerprint**, or **hash**, and is considered a failure in the system. --RL) Another team found that ...

news.zdnet.com/2100-1009_22-5598536.html - 51k - [Cached](#) - [Similar pages](#)

[A sense of insecurity | Newsmakers | CNET News.com](#)

It's used to reduce long documents to a smaller unique digital **fingerprint**, or **hash**, which is then signed using public-key encryption. ...

www.news.com/A-sense-of-insecurity/2008-7355_3-5595238.html - 50k -

[Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

[Advanced Search](#)
[Preferences](#)The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about **775,000** for **watermark and hash**. (0.13 seconds)**Watermark (data file) - Wikipedia, the free encyclopedia**

A **watermark** stored in a data file refers to a method for ensuring data integrity which combines aspects of data **hashing** and digital **watermarking**. ...

en.wikipedia.org/wiki/**Watermark_(data_file)** - 19k - [Cached](#) - [Similar pages](#)

Welcome to IEEE Xplore 2.0: The Use of Watermark and Hash Function ...

The Use of **Watermark and Hash** Function for the Authentication of Digital Images Mapped through the use of the Wavelet Transform Coelho, Fernanda B. Barbar, ...

ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=4222896&

arnumber=4222950&count=73&index=53 - [Similar pages](#)

Welcome to IEEE Xplore 2.0: Natural Language Watermarking and ...

We propose a method of text **watermarking and hashing** based on natural-language semantic structures. In particular, we are interested in the linguistic ...

ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=4296571&

arnumber=4296617&count=136&index=45 - [Similar pages](#)

[[More results from ieeexplore.ieee.org](#)]

The Use of Watermark and Hash Function for the Authentication of ...

a **hash** code of bits named H(S). The image portion I where the **watermark** M will not be inserted, that is named S region, serves as a parameter to calculate ...

doi.ieeeecomputersociety.org/10.1109/ICIW.2007.62 - [Similar pages](#)

Science Links Japan | A method for lossless watermarking using ...

The method uses one-way **hash** functions and the verifications are caused by collision-resistance of the **hash** functions. After verification, the **watermarks** ...

sciencelinks.jp/j-east/article/200410/000020041004A0254118.php - 7k -

[Cached](#) - [Similar pages](#)

[PDF] Lossless Multiresolution Transform for Image Authenticating ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

We propose to **hash** this root. part and to **watermark** this **hash** in the. image. A receiver who wants to verify the. trust of the link between the header and ...

www.eurasip.org/content/Eusipco/2000/sessions/FriAm/OR3/cr1782.pdf - [Similar pages](#)

Self validating security documents utilizing watermarks - US ...

The document of claim 26 in which said biometric **hash** data is conveyed in a steganographic digital **watermark** formed on the substrate. ...

www.patentstorm.us/patents/6970573-claims.html - 52k - [Cached](#) - [Similar pages](#)

Visual Hash For Oblivious Watermarking - Fridrich (ResearchIndex)

Digital **watermarks** have recently been proposed for authentication and fingerprinting of both video data and still images and for integrity verification of ...

citeseer.ist.psu.edu/516520.html - 21k - [Cached](#) - [Similar pages](#)

[PPT] Steganography and Watermarks Trust and Reputation

File Format: Microsoft Powerpoint - [View as HTML](#)

Watermark will be randomly placed. 2. Generate a **watermark and hash** it. - The **hash** will

be embedded. 3. Construct a perceptual model of the audio signal ...

www.cs.usfca.edu/~brooks/S03classes/cs486/lectures/stego.ppt - [Similar pages](#)

#13-09-04 # v1.1.5 # **build 3 # dataenc.py # password encoding ...**

Max allowed value for daynumber is 16777215 (9th May 41222) (so daynumber can be any integer from 1 to 16777215 that you want to 'watermark' the hash with ...

www.voidspace.org.uk/python/docs/dataenc.txt - 14k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 554,000 for **watermark and fingerprint**. (0.17 seconds)**[PDF] A Spatial Method for Watermarking of Fingerprint Images**File Format: PDF/Adobe Acrobat - [View as HTML](#)order to embed **watermark** data into **fingerprint** images, without corrupting For both of the **watermarking** methods, **watermarked fingerprint** images are ...www.cse.msu.edu/~uludagum/Uludag-WPRIS01.pdf - [Similar pages](#)**[PPT] FCC - TAC II**File Format: Microsoft Powerpoint - [View as HTML](#)**Watermarking and Fingerprinting** are both viable methods for consistent identification; In a number of relevant cases **fingerprinting** is an essential addition ...www.fcc.gov/oet/tac/Watermarking_Fingerprinting_12_4_02_fccv02.ppt - [Similar pages](#)**A Spatial Method for Watermarking of Fingerprint Images - Uludag ...**This paper extends the **watermarking** method introduced in in order to embed **watermark** data into **fingerprint** images, without corrupting their features.citeseer.ist.psu.edu/723107.html - 22k - [Cached](#) - [Similar pages](#)**Robust Biometric Image Watermarking for Fingerprint and Face ...**This paper presents a combined DWT and LSB based biometric **watermarking** algorithm that securely embeds a face template in a **fingerprint** image.citeseer.ist.psu.edu/vatsa06robust.html - 18k - [Cached](#) - [Similar pages](#)[\[More results from citeseer.ist.psu.edu \]](#)**Verification watermarks on fingerprint recognition and retrieval**We investigate the effects of **watermarking fingerprint** images on the recognition and retrieval accuracy using a proposed invisible fragile **watermarking** ...adsabs.harvard.edu/abs/1999SPIE.3657...66P - [Similar pages](#)**LNCS 3919 - Secure Remote Fingerprint Verification Using Dual ...**tween the robust **watermark** detection and **fingerprint** verification systems. to detect the embedded **watermarks** for **fingerprint** verification. ...www.springerlink.com/index/980062j00195102x.pdf - [Similar pages](#)**INDICARE Project - Consumer issues on digital rights management (DRM)**This application of **watermarking** is sometimes called **fingerprint watermarking**(unfortunately; it is unrelated to "acoustic **fingerprinting**" as discussed ...www.indicare.org/tiki-read_article.php?articleId=194 - 22k - [Cached](#) - [Similar pages](#)**Verification watermarks on fingerprint recognition and retrieval ...**Current "invisible" **watermarking** techniques aim at producing **watermarked** data that suffer no or little quality degradation and are perceptually identical to ...link.aip.org/link/?JEIME5/9/468/1 - [Similar pages](#)**Composite signature based watermarking for fingerprint authentication**8 B. Gunsel, U. Uludag, and A. M. Tekalp, "Robust **Watermarking of Fingerprint Images**," Pattern Recognition, vol. 35, no. 12, pp. 2739–2747, Dec 2002. ...portal.acm.org/citation.cfm?id=1073170.1073195 - [Similar pages](#)

Robust biometric image watermarking for fingerprint and face ...

For **watermarking**, the **fingerprint** image is used as the base or the cover print and the face template from the **watermarked fingerprint** image. ...

joi.jlc.jst.go.jp/JST.JSTAGE/elex/3.23?from=Google - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

watermark and fingerprint

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)